

### Alcohol soluble thermoplastic polyamide resin

#### Delivery form :

100 % solids

#### Applications :

Alcohol soluble flexographic printing inks :  
plastic substrates  
aluminium films  
cellophane

#### Product specifications :

Property	Range
Softening point	110-115 ° C
Gardner viscosity	A - C *
Gardner colour	max 8 *
Acid number	max 6
Amine number	max 6

#### Principal properties :

low viscosity  
water resistance  
lactic acid resistance  
gloss level

\* 40% solids solution in isopropyl alcohol

#### Compatibility :

Cellulose nitrate	complete
Fumaric rosin esters	complete
Rosin esters	limited

#### Dilutability :

Ethanol	limited
n/iso propyl alcohol	complete
Butyl alcohol	complete